

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("integritysame(rawwithdata)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/29 12:54
L2	358	(integrity same (raw with data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 12:55
L3	190	(integrity same (raw with data)) and (data with source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 12:55
L4	86	((integrity same (raw with data)) and (data with source)) and transform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 12:56
L5	79	((((integrity same (raw with data)) and (data with source)) and transform\$4) and convert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 12:56
L6	68	(((((integrity same (raw with data)) and (data with source)) and transform\$4) and convert\$4) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 12:57
L7	16	(((((integrity same (raw with data)) and (data with source)) and transform\$4) and convert\$4) and ((temporary or cache) and database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 13:07
L8	13	7 and display\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 13:00
L9	3	8 and rule!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 13:00



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((raw <near/2> data) and integrity)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1950)"

Your search matched 2 of 1164322 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» [View Session History](#)» [New Search](#)

Modify Search

» Key

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEEE JNL IEEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

Select Article Information

IEEE CNF IEEE Conference Proceeding

- ☐ 1. **Extracting fuzzy control rules from experimental human operator data**
 Zapata, G.O.A.; Kawakami, R.; Galvao, H.; Yoneyama, T.;
 Systems, Man and Cybernetics, Part B, IEEE Transactions on
 Volume 29, Issue 3, June 1999 Page(s):398 - 406
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(232 KB) IEEE JNL

IEEE STD IEEE Standard

- ☐ 2. **A Centralized and Automated Transmission Surveillance System**
 Anderson, R.; Baun, P.;
 Communications, IEEE Transactions on [legacy, pre - 1988]
 Volume 22, Issue 2, Feb 1974 Page(s):230 - 234
[AbstractPlus](#) | Full Text: [PDF](#)(544 KB) IEEE JNL

 Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved

IP.com
PriorArtDatabase

May 29, 2005

USPTO

Securing innovation

Search

Full Text

Concept

Document ID

Recent Disclosures

Publish

Publish Disclosure

My IP.com

Manage Account

Prior Purchases

Prior Disclosures

Events

Main Page

Support

Logout

Fingerprint Lookup

Lookup

Displaying records #1 through 8 out of 8

Result # 1 Relevance: ★★★★★

**PREVIEW**
this document**PNG (Portable Network Graphics) Specification Version 1.0 (RFC2083)**

1997-03-01

IPCOM000002635D

English (United States)

... applications, such as the World Wide Web, so it is fully streamable with a progressive display option. PNG is robust, providing both full file integrity checking and simple detection of common transmission errors. Also, PNG can store gamma and ...

Result # 2 Relevance: ★★★★★

**PREVIEW**
this document**MIME (Multipurpose Internet Mail Extensions) Part One: Mechanisms for Specifying and Describing the Format of Internet Message Bodies (RFC1521)**

1993-09-01

IPCOM000002352D

English (United States)

... document does NOT extend Internet mail header fields to permit anything other than US-ASCII text data. Such extensions are the subject of a companion document [RFC-1522].

This document is a revision of RFC 1341. Significant differences from RFC 1341 are summarized in ...

Result # 3 Relevance: ★★★

**PREVIEW**
this document**MIME (Multipurpose Internet Mail Extensions): Mechanisms for Specifying and Describing the Format of Internet Message Bodies (RFC1341)**

1992-06-01

IPCOM000002165D

English (United States)

... document does NOT extend Internet mail header fields to permit anything other than US-ASCII text data. It is recognized that such extensions are necessary, and they are the subject of a companion document [RFC-1342]. A table of contents appears at the end of this ...

Result # 4 Relevance: ★★

**PREVIEW**
this document**Hypertext Transfer Protocol -- HTTP/1.1 (RFC2616)**

1999-06-01

IPCOM000003203D

English (United States)

... extension of its request methods, error codes and headers [47]. A feature of HTTP is the typing and negotiation of data representation, allowing systems to be built independently of the data being transferred. (Download file contain: alternative document

Result # 5 Relevance: ★★

**PREVIEW**
this document**Hypertext Transfer Protocol -- HTTP/1.1 (RFC2068)**

1997-01-01

IPCOM000002619D

English (United States)

... used for many tasks, such as name servers and distributed object management systems, through extension of its request methods. A feature of HTTP is the typing and negotiation of data representation, allowing systems to be built independently of the data being

Result # 6 Relevance: ★★

**PREVIEW**
this document**Multipurpose Internet Mail Extensions (MIME) Part Five: Conformance Criteria and Examples (RFC2049)**

1996-11-01

IPCOM000004276D

English (United States)

... The third document, RFC 2047, describes extensions to RFC 822 to allow non-US-ASCII text data in Internet mail header fields. The fourth document, RFC 2048, specifies various IANA registration procedures for MIME-related facilities. This fifth and final ...

Result # 7 Relevance:

**PREVIEW**
this document**The Text/Plain Format and DelSp Parameters (RFC3676)**

2004-02-01

IPCOM000021965D

English (United States)

... is a format which is in all significant ways Text/Plain, and therefore is quite suitable for display as Text/Plain, and yet allows the sender to express to the receiver which lines are quoted and which lines are considered a logical paragraph, and thus eligible to be ...

Result # 8 Relevance:

**PREVIEW**
this document**The S/KEY One-Time Password System (RFC1760)**

1995-02-01

IPCOM000004011D

English (United States)

... command whose format is:
key [-n count] sequence seed
The optional count is used to display more than a single one time password. This is useful to create a paper list of one time passwords.
The most automated calculator is the termkey program ...

Displaying page 1 of 1 < BACK | NEXT >

**Search query:** converting and raw and data and display and rule[New search](#) | [Modify this search](#) | [Search within current results](#)Copyright © 2005 IP.com, Inc. All rights reserved. | [Privacy Stateme](#)

IP.com
PriorArtDatabase

May 29, 2005

USPTO

Securing innovatio

Search

Full Text
Concept
Document ID
Recent Disclosures

Publish

Publish Disclosure

My IP.com

Manage Account
Prior Purchases
Prior Disclosures
Events
Main Page
Support
Logout

Fingerprint Lookup

Displaying records #1 through 2 out of 2

Result # 1 Relevance: ★★★★★

**PREVIEW**
this document**XML-Signature Syntax and Processing (RFC3075)**

2001-03-01

IPCOM000005269D

English (United States)

This document specifies XML (Extensible Markup Language) digital signature processing rules and syntax. XML Signatures provide integrity, message authentication, and/or signer authentication services for data of any type, whether located within the XML that includes the ...

Result # 2 Relevance: ★★★★★

**PREVIEW**
this document**Uniform Resource Identifier (URI): Generic Syntax (RFC3986)**

2005-01-01

IPCOM000035566D

English (United States)

..... 13 2.4. When to Encode or Decode 14
2.5. Identifying Data 14 3. Syntax Components ..
..... 16 3.1. Scheme
...

Displaying page 1 of 1 < BACK | NEXT >

✱ Search query: transforming and converting and raw and data

[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved. | Privacy Stateme


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

rule based conversion raw data format display

Search

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about 907 for **rule based conversion raw data format display** . (0.24 seconds)Did you mean: rule based **conversion** raw data format displayUntitled

... N-dimensional spaced **data** allows the aggregation of **data based** on ...
 and cross-tabulation **display** easy to achieve from the underlying **raw data**. ...
cimic.rutgers.edu/~gusadi/design/design.html - 39k - [Cached](#) - [Similar pages](#)

Virtual Physics WWW Archive - issue No 09 - September 1, 1996

... where image-analysis was used to collect **raw data** concerning the spatial ...
based on the GIF89a image **format** (one of the versions of the GIF **format**) ...
www.swin.edu.au/chem/complex/vp/vp09/vp09.html - 56k - May 27, 2005 - [Cached](#) - [Similar pages](#)

IT Forums: writing the security descriptor in ADAM

... in the **RAW** form as shown by the **conversion** of the **RAW** SD to SDDL string: ...
 065 &nb sp; // **Display** the **raw** security descriptor obtained using SDDL ...
www.redmondmag.com/forums/forum_posts.asp?tid=1724&pn=1 - 72k - [Cached](#) - [Similar pages](#)

iPompe - le plein de logiciels

... Full access to **raw data** is also provided. Captured packets can be saved to log files for ... Its **rule-based** logics are rather native to human mind. ...
www.webfaster.net/newipompe/top.php?Recherche=&L=2660 - 514k - [Cached](#) - [Similar pages](#)

iPompe - le plein de logiciels

... Full access to **raw data** is also provided. Captured packets can be saved to log ...
 ... which file **format** (plain text or web page) you wish to use to **display** ...
www.webfaster.net/newipompe/top.php?Recherche=&L=2650 - 514k - [Cached](#) - [Similar pages](#)
 [More results from www.webfaster.net]

[PDF] Efficient Map Visualization on the Web

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... the web **based** on this **format**. Examples are shown to evaluate the proposed strategies and ... images are usually represented in **raw format** in a TWF file, ...
www.tecgraf.puc-rio.br/publications/artigo_1999_efficient_map_visualization.pdf - [Similar pages](#)

TrackingSoftwareOverview < Atlas < TWiki

... the persistified RDO are different **format** of the persistent **raw data**, ...
 be determined in PVSS **based** on **rules** and on input from the DAQ, gas system, ...
<https://uimon.cern.ch/twiki/bin/view/Atlas/TrackingSoftwareOverview> - 183k - [Cached](#) - [Similar pages](#)

[PDF] Documentation of the ELP software

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... The **conversion** of printing **data** streams is realized through this Exit ...
format, and then shown within the default program for **display** PDF files on ...
www.stethos.com/welp/data/man_us_elp.pdf - [Similar pages](#)


Kurt's Weblog: December 2004 Archives

... If I publish some super **data** on my web site and that **raw data** never ...
 To find out the **conversion**, you can use the units program, but I thought the ...
schwehr.org/blog/archives/2004-12.html - 107k - [Cached](#) - [Similar pages](#)

Alternatives to Microsoft Office

... want to publish it; **raw** Ms Word xhtml contains too many Microsoft styles).
 ... **data** stored in office documents to a standard file **format based** on XML, ...
www.softpanorama.org/Editors/altooffice.shtml - 174k - [Cached](#) - [Similar pages](#)







Did you mean to search for: rule based **conversion** raw data format display

**Web**Results 1 - 10 of about 5,200 for **rule based conversion raw data**. (0.38 seconds)Did you mean: [rule based **conversion** raw data](#)[\[PDF\] Chemical/Biological Plume Analysis Knowledge Source \(CPAKS\)](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)... a **rule-based** software package, formulates a series of parametric analyses ...
the **raw data** into SCIPUFF-formatted surface observations, gridded **data**, or ...www.dodccrp.org/events/2000/CCRTS_Monterey/cd/html/pdf_papers/Track_3/066.pdf - [Similar pages](#)[data entry website design XML pdf doc conversion publishing making ...](#)... **data** entry, pdf transcription, pdf making doc to xml, **conversion data** ...by preserving **raw data** and content-based structuring of information pieces. ...www.softwebsnepal.com/xml_data_entry_conversion.htm - 51k - [Cached](#) - [Similar pages](#)[Untitled](#)... N-dimensional spaced **data** allows the aggregation of **data based** on ...
and cross-tabulation display easy to achieve from the underlying **raw data**. ...cimic.rutgers.edu/~gusadi/design/design.html - 39k - [Cached](#) - [Similar pages](#)[CLUNIX - Clustopium Server and Client for Linux](#)... Place all files except cserver.cpp and **rawdata.txt** onto a node machine then... _____ Daniel Aronson assisted with certain **conversion** routines as well as ...home.iprimus.com.au/yuhanov/clunix/clunix.html - 19k - [Cached](#) - [Similar pages](#)[0 0 0 000 000 0 0 00 0 000 0 0 0 0 o00o 0 00 o00o 0 0 0 0 0 0 0 0 ...](#)... where image-analysis was used to collect **raw data** concerning the spatial ...Well, its the technical **rules** from 1989 that explain how GIFs can be put ...www.swin.edu.au/chem/complex/vp/txt/vp09txt.htm - 45k - [Cached](#) - [Similar pages](#)[:: Welcome to Transweb Solutions India Ltd.](#)... We can convert any document to XML /UML / HTML/ SGML / PDF **conversion**. ...by preserving **raw data** and content-based structuring of information pieces. ...www.tsilservices.com/xml/doc.html - 20k - [Cached](#) - [Similar pages](#)[MicroSoar microstructure Observations During the Coastal Mixing ...](#)... (see section "The A/D **Conversion** and **Data** Acquisition Software" of this report).... The next step is downloading **raw data** to another storage medium, ...diana.oce.orst.edu/cmoweb/micro/Report98.html - 102k - [Cached](#) - [Similar pages](#)[iPompe - le plein de logiciels](#)... Full access to **raw data** is also provided. Captured packets can be saved to log... It works at a low level and also allows you to create **rules based** on ...www.webfaster.net/newipompe/top.php?Recherche=&L=2660 - 514k - [Cached](#) - [Similar pages](#)[Biological Small Angle Scattering Group | Software | PRIMUS | Manual](#)... current **raw data** directory, will appear automatically when you select the ...but in all cases one has to follow the thumb **rule** of describing the model ...www.embl-hamburg.de/ExternalInfo/Research/Sax/manual_primus.html - 142k - [Cached](#) - [Similar pages](#)[UKDivers Community Forums - Using GPS & Conversion Tables](#)... If we supply **data** a table giving the decimal equivalents of seconds is ...(Does anyone remember the sine and cosine **rules**)? Now on a bigger scale, ...www.ukdivers.com/forum/topic.asp?whichpage=-1&TOPIC_ID=906&REPLY_ID=3839 - 62k - [Cached](#) - [Similar pages](#)Did you mean to search for: [rule based **conversion** raw data](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

Google ▾	<input type="text"/>		 Search ▾	 377 blocked	 Check ▾	 AutoLink ▾	 AutoFill
----------	----------------------	---	--	---	--	--	--

| rule based conversion raw data form:

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google